

# AB Tip İnceleme Sertifikası EU Type-Examination Certificate

Belge No / Certificate No

Belgelendirme Tarihi - Bir Sonraki Belge Tarihi /

Certification Date / Certificate Validity Date

Belge Geçerlilik Tarihi / Document Validity Period : 5 yıl / 5 years

Firma Unvanı ve Adresi /

Company Name and Address

: 92-21-02

: 15.11.2021-15.11.2026

: FAGO MEDİKAL SAN. VE TİC. LTD. ŞTİ. 15 Temmuz Mah. Cami Yolu Cad. No:106 /

Z1 Bağcılar/İSTANBUL

Ürün Adı /Modeller / Product Name / Models

Direktifi / Directive

Modülü/Kategori / Module / Category

: FAGO F333

: 2016/425 REGULATION

: B MODÜLÜ/ KATEGORİ III

MODULE B / CATEGORY III

Teknik Değerlendirme Rapor No /

Technical Evaluation Report No

Ürün Tipi / Product Type:

: 92-21-02

EN 149:2001+ A1:2009 Solunumla ilgili koruyucu cihazlar - Parçacıklara karşı koruma amaçlı filtreli yarım maskeler/ Respiratory protective devices - Filtering half masks to protect against particles

Ürünün Malzeme Bilgisi / Product Material Information: FAGO F333 model ürünleri kumaş, kulak kayışı, burun klipsi, filtre katmanı kullanılarak imal edilmiştir. / FAGO F333 model products are manufactured using fabric, earloop, nose clip, filter layer.

Volkan AKIN 15.11.2021

Karar Verici / Approver

Okan AKEL 15.11.2021

Sirket Müdürü / General manager









## ATTACHMENTS (92-21-02)

To certify the PPE product at Category III level, C2 or D module is accompanied by applying one of the conformity assessment methods along with the EU Type Examination (Module B).

Model: FAGO F333

PPE SPECIFICATION	PERFORMANCE LEVELS
Classification	FFP2
Reusable / Single Shift Use	NR

PPE produced as a single unit to fit an individual user, all the necessary instructions for manufacturing such PPE on the basis of the approved basic model:

#### MARKING

MANUFACTURER: FAGO MEDİKAL SAN. VE TİC. LTD. ŞTİ

#### PPE TYPE:

 EN 149:2001+ A1:2009 Respiratory protective devices - Filtering half masks to protect against particles

**MODEL: FAGO F333** 

PRODUCT SIZE: Standard

PICTOGRAM AND PERFORMANCE LEVELS:


EN 149:2001+ A1:2009 FFP2 NR

 $c \in$ 











NB 2841


Or Condition of Storage

MNA LABORATORIES SAN. TIC. LTD. \$TI declares that the above-mentioned product meets the requirements of the directive according to the EU Directive 2016/425, the safety of the product is covered by the conditions and use specified in this certificate and in the technical file.

MNA Laboratuvarları San. Tic.Ltd .Şti Adres: Küçükbakkalköy Mahallesi Yenidoğan Cad.No:21 Ataşehir/ İstanbul Tel: 0216 574 07 08 Faks: 0216 575 13 31 <a href="https://www.mnalab.com">www.mnalab.com</a>



## ATTACHMENTS (92-21-02)



## DOCUMENTS IN THE TECHNICAL FILE

- Basic Health Safety Requirements
- Risk Assessment
- Test Reports
- Technical Report

MNA Laboratuvarları San. Tic.Ltd .Şti Adres: Küçükbakkalköy Mahallesi Yenidoğan Cad.No:21 Ataşehir/ İstanbul Tel: 0216 574 07 08 Faks: 0216 575 13 31 <u>www.mnalab.com</u>



## **TECHNICAL EVALUATION REPORT (92-21-02)**

Report No

Report Date : 15.11.2021

Application No : 92-21-02

#### 1. COMPANY INFORMATION:

FAGO MEDİKAL SAN. VE TİC. LTD. ŞTİ.

: 92-21-02

15 Temmuz Mah. Cami Yolu Cad. No:106 / Z1 Bağcılar/İSTANBUL

Tel: +90212 630 67 55 -56

E-mail: info@fagomedikal.com, birsen@fagomedikal.com


#### 2. PPE INFORMATION:


Disposable and non-sterile half mask made of particulate protection fitler material.

#### 3. PPE TYPE IDENTIFICATION

EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect against particles - Requirements, testing, marking

#### 4. PPE PICTURES





FAGO F333

#### 5. PPE DIMENSIONS:

FAGO F333 model has been found to be produced using standard sizes.

## 6. PPE PRODUCT MATERIAL INFORMATION:

The product is made of elastic strap, nonwoven fabric on the outer and inner layers and fitler material on the middle layer.

## 7. ESSENTIAL HEALTH AND SAFETY REQUIREMENTS

- A visual inspection was made according to EN 149:2001 +A1:2009 for ergonomics.
- Protection levels and degrees are defined by the manufacturer.
- Suitable construction materials were determined by visual inspection according to EN 149:2001 +A1:2009.



# **TECHNICAL EVALUATION REPORT (92-21-02)**

## 8. ANALYSIS AND EVALUATIONS:

EN 149:2001 +A1:2009

TESTS	PARAMETER	PERFORMANCE LEVELS			RESULTS	PERFORMANCE LEVELS	EVALUATION	
		FFP1	FFP2	FFP3	1			
Banned Azo Dyes	< 30 mg/kg				< 5 mg/kg	< 30 mg/kg	PASS	
Part 7.3 Visual inspection	Shall also the marking and the information supplied by the manufacturer				Appropriate	-	PASS	
Part 7.4 Packaging	Particle filtering half mask shall be offered for sale packaged in such a way that they are protected against mechanical damage and contamination before use.			Appropriate	-	PASS		
Part 7.5 Material	When conditioned 8.3.2 the particle ficollapse.				Appropriate	-	PASS	
Part 7.6 Cleaning and disinfecting	After cleaning and disinfecting the re-usable			Not applicable	-	Not applicable		
Part 7.7 Practical performance	No negative comme the test subject rega- evaluated.				Appropriate	-	PASS	
Part 7.8 Finish of parts	Parts of the device contact with the we edge or burrs.				Appropriate	-	PASS	

TESTS	PARAMETER	PERFORMANCE LEVELS		RESULTS	PERFORMANCE LEVELS	EVALUATION	
Ea		FFP1 FFP2 FFP3					
Part 7.9.1 Total inward leakage	At least 46 out of the 50 individual exercise result	<25	<11	<5	See the table below	FFP2	PASS
	At least 8 out of the 10 individual wearer arithmetic means	<22	<8	<2	See the table below	FFP2	PASS

Total Inward Leakage (%)										
	Exercise 1	Exercise 2	Exercise 3	Exercise 4	Exercise 5	Average				
Subject 1 (As received)	7,9	6,9	6,1	8,1	6,4	7,1				
Subject 2 (As received)	7,6	5,9	5,7	6,4	6,3	6,4				
Subject 3 (As received)	5,9	6,1	6,1	6,0	5,8	6,0				
Subject 4 (As received)	5,8	5,8	5,9	5,4	5,5	5,7				
Subject 5 (As received)	7,0	8,2	7,6	5,3	7,1	7,0				
Subject 6 (After temperature conditioning)	5,5	5,5	5,7	5,5	5,6	5,6				





## **TECHNICAL EVALUATION REPORT (92-21-02)**

Subject 7 (After temperature conditioning)	7,3	7,5	7,2	6,2	7,1	7,1
Subject 8 (After temperature conditioning)	6,4	7,0	6,5	6,3	6,8	6,6
Subject 9 (After temperature conditioning)	5,8	5,8	5,9	5,7	5,5	5,7
Subject 10 (After temperature conditioning)	6,2	5,6	5,9	5,3	6,1	5,8

Subject facial dimensions

Subject	Face Length (mm)	Face Width (mm)	Face Depth (mm)	Mouth Width (mm)
1	133	132	132	65
2	125	144	116	67
3	126	135	124	75
4	123	133	134	74
5	117	135	122	73
6	122	142	133	66
7	113	132	114	75
8	135	123	123	65
9	122	135	133	74
10	135	142	125	83

TESTS	PARAMETER	PERFORMANCE LEVELS			RESULTS	PERFORMANCE LEVELS	EVALUATION
		FFP1	FFP2	P2 FFP3			
Part 7.9.2 Penetration of filter	Sodium chloride, 95 L/min %, max	% 20	% 6	%1	See the table below	FFP2	PASS
material	Paraffin oil, 95 L/min %, max	% 20	%6	%1	See the table below	FFP2	PASS

Penetration of filter material	Sodium Chloride (%)	Paraffin Oil (%)
As received	3,5	3,6
As received	3,4	4,2
As received	3,6	4,0
After the simulated wearing treatment	3,7	3,5
After the simulated wearing treatment	3,4	4,0
After the simulated wearing treatment	3,5	4,3
Mechanical strength and temperature conditioning (120 mg)	5,2	5,6
Mechanical strength and temperature conditioning (120 mg)	5,1	5,7
Mechanical strength and temperature conditioning (120 mg)	5,3	5.7

TESTS	PARAMETER	PERFC LEVEL	RMAN	CE	RESULTS	PERFORMANCE LEVELS	EVALUATION
		FFP1	FFP2	FFP3			
Part 7.10 Compatibility with skin	Materials shall no cause irritation or health				Appropriate	-	PASS
Part 7.11 Flammibility	Mask shall not but for more than 5 s		continu	e to burn	Flame not seen	-	PASS



# TECHNICAL EVALUATION REPORT (92-21-02)

Part 7.12 Carbondioxide content of the inhalation air	Shall not exceed an average of % 1	0,80 0,83 0,75	-	PASS
Part 7.13 Head harness	It can be donned and removed easily	Appropriate	-	PASS
Part 7.14 Field of vision	The field of vision shall acceptable in practical performance test.	Appropriate	-	PASS
Part 7.15 Exhalation valve(s)	It shall withstand axially a tensile force of 10 N apply for 10 s.  If fitted, shall continue to operate correctly after a continuous exhalation flow of 300 L/min over a period of 30 s.	Not applicable	-	Not applicable

TESTS	PARAMETER	PERFORMANCE LEVELS			RESULTS	PERFORMANCE LEVELS	EVALUATION
		FFP1	FFP2	FFP3			
Part 7.16 Breathing	Inhalation 30L/min	0,6 mbar	0,7 mbar	1,0 mbar	See the table below	FFP2	PASS
Resistance	Inhalation 95L/min	2,1 mbar	2,4 mbar	3,0 mbar	See the table below	FFP2	PASS
	Exhalation 160L/min	3,0 mbar	3,0 mbar	3,0 mbar	See the table below	FFP2	PASS

Breathing Resistance (mbar)	Inhalation 30L/min	Inhalation 95L/min
As received	0,6	1,9
As received	0,6	1,9
As received	0,5	1,8
After temperature conditioning	0,5	1,8
After temperature conditioning	0,5	1,8
After temperature conditioning	0,5	1,9
After the simulated wearing treatment	0,6	1,9
After the simulated wearing treatment	0,6	1,9
After the simulated wearing treatment	0,6	1,8

Breathing Resistance 160L/min (mbar)	Facing directly ahead	Facing vertically upwards	Facing vertically downwards	Lying on the left side	2,7 2,8 2,7 2,8 2,7 2,8 2,7 2,8
As received	2,8	2,8	2,8	2,8	
As received	2,7 2,7 2,7 2,8 2,7	2,7 2,8 2,7 2,8	2,7 2,7 2,7 2,8 2,7	2,7 2,8 2,7 2,8 2,7	
As received					
After temperature conditioning					
After temperature conditioning					
After temperature conditioning		2,7			
After the simulated wearing treatment	2,7	2,8	2,7	2,8	2,7
After the simulated wearing treatment	2,7	2,8	2,8	2,7	2,7
After the simulated wearing treatment	2,7	2,7	2,7	2,7	2,8

## **TECHNICAL EVALUATION REPORT (92-21-02)**

TESTS	PARAMETER	PERFORMANCE LEVELS			RESULTS	PERFORMANCE LEVELS	EVALUATION
		FFP1	FFP2	FFP3			
Part 7.17 Clogging	After clogging the inhalation resistances shall not exceed. (valved)	mba	5 mba r	7 mbar	Not applicable		Not applicable
	The exhalation resistance shall not exceed 3 mbar at 160 L/ min continuous flow. (valved)				Not applicable	-	Not applicable
	After clogging the inhalation and exhalation resistances shall not exceed. (valveless)	3 mba r	4 mba r	5 mbar	Not applicable		Not applicable
Part 7.18 Demountable part	All demountable par readily connected possible by hand.				Not applicable	-	Not applicable

#### 9. DECISION PROPOSAL

Analysis and examinations FAGO F333 model coded personal protective equipment; Respiratory Protective Devices EN 149:2001 +A1:2009- Filtered Half Masks for Protection Against Particles - Properties, Experiments and Marking standards are evaluated. It is recommended to be certified at the performance levels specified as a result of technical evaluations.

#### 10. ATTACHMENTS

- Basic Health Safety Requirements
- Risk Assessment
- Test Reports (M-2021-01623)

User Instruction

CONTROLLER

: VOLKAN AKIN

**SIGNATURE** 

-

DATE

: 15.11.2021